Index to Volume 22, 1985

Acid-base, blood, analyses, radial presentation of results **359**

ADDISON GM *see* WELLS FE *et al.*

ADENA MA *see* ALLEN JK and ADENA MA

ADGEY AAJ *see* McCOMB JM *et al.*

Adrenocorticotropic hormone, direct radioimmunoassay for determination, and clinical evaluation **247**

Affinity chromatography, glycosylated albumin estimation **79**

AITKEN R *see* MOORE A *et al.*

ALBERS CJEM, HUIZENGA JR, KROM RAF, VONK RJ and GIPS CH: Composition of human hepatic bile **129**

Albumin
- analysis in haemodialysis serum, discrepancies between BCP, BCG and EIA **304**
- glycosylated, affinity chromatography **79**
- measurement, in serum and plasma: review article **565**

ALBUTT EC, NATTRASS M and NORTHAM BE: Glucose tolerance test and glycosylated haemoglobin measurement for diagnosis of diabetes mellitus—an assessment of the criteria of the WHO Expert Committee on Diabetes Mellitus 1980 **67**

Alcohol
- consumption, plasma cholesterol, HDL cholesterol, triglycerides and uric acid levels **62**
- intake, biochemical and haematological response **50**
- liver function tests: correspondence **104**

ALLEN JK and ADENA MA: The association between plasma cholesterol, high-density-lipoprotein cholesterol, triglycerides and uric acid in ethanol consumers **62**

ALLEN KR, SCOTT RDM, HEWITT JV and WATSON D: Clinical value of a sensitive immunoradiometric assay for TSH **506**

ALLEN MC *see* MOORE RA *et al.*

Alpha$_1$-antitrypsin, and recombinent DNA **25**

Alpha-fetoprotein, plasma concentrations, in preterm neonates **650**

Aluminium in serum, determination, external quality assessment scheme findings **351**

Ames Medal, Winning Lecture 1984, The relationship between sex steroids and sex-hormone-binding globulin in plasma in physiological and pathological conditions **489**

Amniotic fluid, fluorimetric determination of lecithin/sphingomyelin ratio after HPLC **321**

Angiotensin-converting enzyme, human serum, continuous monitoring spectrophotometric method for measurement **204**

ARAMBAŠIN M *see* PLAVŠIĆ F *et al.*

ARTS CJM, KOPPESCHAAR HPF, VEEMAN W and THIJSSEN JHH: A direct radioimmunoassay for the determination of adrenocorticotropic hormone (ACTH) and a clinical evaluation **247**

ASHBY D *see* SHAPER AG *et al.*

ASHWELL K *see* HARROP JS *et al.*

ASSOCIATION OF CLINICAL BIOCHEMISTS: Scientific Committee Publications from 1980 **546**

ASTLEY JP *see* HAMMER EJ and ASTLEY JP

AVAGNINA P *see* CRAVETTO C *et al.*

BACON RRA *see* HAYES M *et al.*

BADCOCK NR, PENNA AC, SANSOM LN and EVERETT DS: The effects of salicylate metabolites on the interpretation of paracetamol results: correspondence reply **654**

BAINES TJ and CLARK A: Cytidine deaminase—a marker for pre-eclampsia? **420**

BAKER JR *see* JOHNSON RN and BAKER JR

BALDWIN D *see* MOORE RA *et al.*

BALL MJ, KAY JDS and SMITH D: Interference in urea determination by high immunoglobulin levels: technical note **215**

BARBARIĆ V *see* PLAVŠIĆ F *et al.*

BARON DN: Radial presentation of results of blood acid-base analyses **359**

BATSTONE GF *see* MOODY BJ *et al.*

BEASTALL GH *see* PATERSON N *et al.*

BECKETT GJ *see* LAWRENCE CM *et al.*

BELFIELD A *see* DAVIDSON H et al.

BERG JD, CHESNER I and LAWSON N: Practical assessment of the NBT-PABA pancreatic function test using high performance liquid chromatography determination of *p*-aminobenzoic acid in urine **586**

BESSER GM *see* BOULOUX P *et al.*

Beta-blocker *see* Metoprolol

BIESBROUCK M *see* CUIGNIEZ PH *et al.*

BIGGART EM *see* PATERSON N *et al.*

Bile
- hepatic, human, composition **129**
- salt, plasma levels in pruritus, indicator of occult liver disease **232**

Bilirubin, total serum, assays, calibration: review article **217**

Biochemist's contribution to the clinical process: personal view **222**

BIONDI AM *see* CRAVETTO C *et al.*

Biosensors, non-electrode, in clinical biochemistry: review article **559**

Bisalbuminaemia, in myeloma: correspondence **544**

2,3-Bisphosphoglycerate, erythrocyte, insensitivity to change in extracellular phosphate concentration *in vitro* **291**

Blood storage, erythrocyte transketolase activity changes and thiamine pyrophosphate effect during **423**

BOOK REVIEWS:
- ALLEN RC, SARAVIS CA and MAURER HR editors: *Gel electrophoresis and isoelectric focusing of proteins: selected techniques* 1984 **432**
- BATTISTIN C, HASHIM GA and LAJTHA A: *Clinical and biological aspects of peripheral nerve diseases* 1983 **432**
- BECK EA and FURLAN M: *Variants of human fibrinogen.* Current problems in Clinical Biochemistry series 1984 **658**

BROWN PR editor: *HPLC in nucleic acid research: methods and applications*. Chromatographic Science, series, vol. 28. 1984 **658**

CHAIKEN IM, WILCHEK M and PARIKH I: *Affinity chromatography and biological recognition* 1983 **433**

CHAYEN J and BITENSKY L editors: *Investigative microtechniques in medicine and biology*, vol. 1. 1984 **545**

CLAYTON RN editor: *Receptors in health and disease*, vol. 12, no. 1, Clinics in Endocrinology and Metabolism series 1983 **106**

EASTHAM RD: *A guide to water, electrolyte and acid-base metabolism* 1983 **434**

GALUMANN H, PETERS T and REDMAN C editors: *Plasma protein secretion by the liver* 1984 **433**

GRAHAME-SMITH DG and ARONSON JK: *Oxford Textbook of clinical pharmacology and drug therapy* 1984 **657**

HOLLOWAY CJ editor: *Analytical and preparative isotachophoresis. Proceedings of the 3rd International Symposium on Isotachophoresis* 1984 **432**

HOWANITZ PJ and HOWANITZ JH editors: *Clinics in laboratory medicine: issues in laboratory endocrinology* 1984 **658**

KOCH G and RICHTER D: *Biochemical and clinical aspects of neuropeptides—synthesis, processing and gene structure* 1983 **545**

KRICKA LJ, STANLEY PE, THORPE GHG and WHITEHEAD TP: *Analytical applications of bioluminescence and chemiluminescence* 1984 **657**

MOYER PP and BOECKX RL: *Applied therapeutic drug monitoring: review and case studies*, vol. II, 1984 **657**

NISBET LJ and WINSTANLEY DJ: *Bioactive microbial products 2—Development and production*. Special publication of the Society for General Microbiology, vol. 10. 1983 **545**

OTTAWAY JH and APPS DK: *Biochemistry*, Bailliere's Concise Medical Textbooks series, 4th edition 1984 **106**

READ GF, RIAD-FAHMY D, WALKER RF and GRIFFITHS K editors: *Immunoassays of steroids in saliva*, Tenovus Workshop series 1984 **106**

SCHADE DS editor: *Metabolic acidosis*, vol. 12, no. 2, Clinics in Endocrinology and Metabolism series 1983 **107**

SCHUMACHER HR, GARVIN DF and TRIPLETT DA: *Introduction to laboratory hematology and hematopathology* 1984 **434**

WRIGHT RA and HEYMSFIELD SB: *Nutritional assessment* 1984 **432**

BOUCHER BJ *see* ROSS RJM *et al.*

BOULOUX P, PERRETT D and BESSER GM: Methodological considerations in the determination of plasma catecholamines by high-performance liquid chromatography with electrochemical detection **194**

BOWN EG *see* HOLMAN RR *et al.*

BRIGGS JD *see* THOMPSON D *et al.*

Bromelin-treated cervical mucus, prolactin-like immunoreactivity **316**

BROUGHTON PMG and BUCKLEY BM: The need for better plasma cholesterol assays: personal view **547**

and ELDJARN L: Methods of assigning accurate values to reference serum. Part 1. The use of reference laboratories and consensus values, with an evaluation of a procedure for transferring values from one reference serum to another 625

see also ELDJARN L and BROUGHTON PMG

BUCKLEY BM *see* BROUGHTON PMG and BUCKLEY BM

BULLINGHAM RES *see* MOORE RA *et al.*

BULLOCK DG and WILDE CE: External quality assessment of urinary pregnancy oestrogen assay: further experience in the United Kingdom **273**

BURKE C *see* MOORE A *et al.*

BURLINA A *see* GRAZIANI MS and BURLINA A

Burn injury, septic complications and protein changes **391**

BURRIN JM and PRICE CP: Measurement of blood glucose: review article **327**

WILLIAMS DRR and PRICE CP: Performance of a quality-assessment scheme for blood glucose meters in general practice **148**

BYRJALSEN I and INGWERSEN SH: Immunoturbidimetry of serum C-reactive protein in low concentration of polyethylene glycol **269**

BYRNE T *see* ROBERTS I *et al.*

C-reactive protein, serum, immunoturbidimetry in low concentration of polyethylene glycol **269**

Calcium metabolism in ethylene glycol poisoning **90**

Capillary blood collection, metered, patient-orientated **141**

Carbohydrate and lipid metabolism, intra-individual variable **618**

Carbon dioxide determination in biological samples, simple, fast, microlitre method **509**

Carcinoembryonic antigen analyses

comparison of three methods **94**

value in clinical practice: correspondence **430**

Catecholamines

free, urinary, assay HPLC with electrochemical detection **297**

plasma, determination by HPLC **194**

CATTELL WR *see* PLAYFORD RJ *et al.*

CAVANNA A *see* CRAVETTO C *et al.*

CAWOOD P *see* IVERSEN SA *et al.*

Cerebrospinal fluid, detection of oligoclonal bands **381**

Cervical mucus, bromelin-treated, prolactin-like immunoreactivity **316**

CHAPMAN RS *see* PATERSON N *et al.*

CHESNER I *see* BERG JD *et al.*

CHISWELL D *see* KALSHEKER N *et al.*

Cholesterol, plasma

assays, need for better: personal view **547**

and HDL levels in alcohol consumption **62**

Cholinesterase, plasma, phenotyping, stepwise discriminant analysis **175**

CHOWHAN MR *see* KEIR G *et al.*

Chromatography, affinity, glycosylated albumin estimation **79**

see also High performance liquid chromatography

CLARK A *see* BAINES TJ and CLARK A

Clinical process, biochemist's contribution: personal view **222**
Colorectal cancer, carcinoembryonic antigen measurement, value: correspondence **430**
Computer models, plasma proteins, metabolic studies **33:** errata **434**
Continuous monitoring spectrophotometric method, for measurement of angiotensin-converting enzyme, human serum **204**
COOPER JDH, TURNELL DC, PILCHER J and LOCKHART D: Therapeutic monitoring of the anti-anginal drug perhexiline maleate **614**
Copper, in serum and urine, measurement by DC plasma emission spectrometry **533**
Cortisol assays, guidelines for provision of clinical biochemistry service: review article **435**
COUSINS J *see* MOORE RA *et al.*
CRAVETTO C, MOLINO G, BIONDI AM, CAVANNA A, AVAGNINA P and FREDIANI S: Evaluation of the diagnostic value of serum bile acid in the detection and functional assessment of liver diseases **596**
Creatine kinase isoenzymes, stability, studies with two-site monoclonal antibody assays **310**
CUIGNIEZ PH, BIESBROUCK M and VAN HOOREN J: A simple and rapid nephelometric procedure for fibronectin **514**
CULLITON M *see* CUNNINGHAM SK *et al.*
CUNNINGHAM SK, LOUGHLIN T, CULLITON M and McKENNA TJ: The relationship between sex steroids and sex-hormone-binding globulin in plasma in physiological and pathological conditions: Ames Medal, Winning Lecture 1984 **489**
Cushing's disease, pituitary-dependent, diagnosis: review article **550**
Cyclosporin A from plasma containing interfering compounds, preparation, extraction and HPLC **402**
Cystic fibrosis, sweat sodium and chloride in diagnosis **171**
Cytidine deaminase as marker for pre-eclampsia **420**

DAVIDSON DF and FITZPATRICK J: A simple, optimised and rapid assay for urinary free catecholamines by HPLC with electrochemical detection **297**
DAVIDSON H, PLEDGER DR and BELFIELD A: Lack of comparability between CEA analyses using three different methods **94**
DAWNAY A *see* PLAYFORD RJ *et al.*
DC plasma emission spectrometry, for measurement of copper, zinc and magnesium in serum and urine **533**
Deming's regression analysis in method comparison studies: correspondence **430**
DEVGUN MS, DUNBAR JA, HAGART J and MARTIN BT: Alcohol intake and liver function tests: correspondence **104**
Diabetes mellitus
  β-hexosaminidase release in fibroblast cultures **133**
  estimation of serum fructosamine, alternative to glycosylated haemoglobin **84**
  glucose tolerance test and glycosylated haemoglobin measurement, assessment of criteria **67**
  tests compared **74**
Diene-conjugated derivative of linoleic acid, method for measurement **137**
Digoxin, plasma, simple, rapid, cheap radioimmunoassay for **190**
Dihydrofolate reductase inhibition assay for methotrexate **612**
Diuretic *see* Frusemide
DODDS P *see* GREEN A *et al.*
DONALDSON A *see* WANG H-Z *et al.*
DORMANDY TL *see* IVERSEN SA *et al.*
Dried blood spot test estimation of urea **408**
Dried spot blood glucose estimation, simple colorimetric method: technical note **653**
Drugs
  detection by Toxi-Lab screening test, increased possibilities **324**
  effects on clinical tests, changes of methodology and their potential effects **397**
DUNBAR JA *see* DEVGUN MS *et al.*

EDWARDS M and FISH RG: Dihydrofolate reductase inhibition assay for methotrexate **612**
EDWARDS R *see* WEBLEY GE and EDWARDS R
ELDJARN L and BROUGHTON PMG: Methods of assigning accurate values to reference serum. Part 2. The use of definitive methods, reference laboratories, transferred values and consensus values **635**
  see also BROUGHTON PMG and ELDJARN L
Electrodes in clinical chemistry: review article **460**
ELLIS RH *see* RYALL RG *et al.*
Errata **434**
Erythrocyte
  2,3-bisphosphoglycerate, insensitivity to changes in extracellular phosphate concentration *in vitro* **291**
  transketolase activity changes and thiamine pyrophosphate effect during blood storage **423**
Ethanol *see* Alcohol
Ethylene glycol poisoning, calcium metabolism **90**
EVANS GO: Changes of methodology and their potential effects on data banks for drug effects on clinical laboratory tests **397**
EVANS JR *et al.*: Alcohol intake and liver function tests: correspondence reply **104**
EVERETT DS *see* BADCOCK NR *et al.*
External Quality Assessment Scheme
  findings, determination of aluminium in serum **351**
  gonadotrophin assays, improved performance **179**
  validity of consensus mean as target value **283**

FAIRCLOUGH D *see* ROBERTS NB *et al.*
FERGUSON KM *see* HAYES M *et al.*
FERNS GAA, LANHAM J, STOCKS J, RITCHIE C, KATZ J and GALTON DJ: The measurement of high density lipoprotein subfractions in patients with primary gout using a simple precipitation method **526**
FEYEN JHM *see* GEBHARDT DOE *et al.*
Fibronectin, simple, rapid, nephelometric procedure **514**
FISH RG *see* EDWARDS M and FISH RG
FITZPATRICK J *see* DAVIDSON DF and FITZPATRICK J
Flame photometry and ion-selective electrode, com-

parison of measurement of sodium and potassium: review article **343**
FLECK A: Computer models for metabolic studies on plasma proteins **33:** errata **434**
FLEETWOOD JA, WATSON MJ, WASTELL HJ and WEDDELL A: Hormone studies in a case of virilisation due to ovarian tumour **498**
FLETCHER KA *see* ISHERWOOD DM and FLETCHER KA
Fluorimetry, lecithin/sphingomyeline ratio of amniotic fluid after HPLC **321**
Fluoroimmunoassay
β-2-microglobulin, serum **166**
using highly specific antibodies, for direct determination of theophylline in serum **519**
FRANKLYN JA, RAMSDEN DB and SHEPPARD MC: The influence of age and sex on tests of thyroid function **502**
FRANZINI C: Liquid control materials for haemoglobins A_2 and F: a one-year interlaboratory evaluation **257**
FRAZER AD *see* LESTER E *et al.*
FREDIANI S *see* CRAVETTO C *et al.*
Fructosamine, serum, estimation, alternative to glycosylated haemoglobin **84:** correspondence **655**
Frusemide, effects on active and inactive renin, *in vitro:* technical note **213**

GALES M *see* MOORE RA *et al.*
GALTON DJ *see* FERNS GAA *et al.*
Gamma-glutamyl transferase, in hepatoma, electrophoretic studies **376**
GASKELL S *see* MOORE A *et al.*
GATT JA *see* HINDLE EJ *et al.*
GEBHARDT DOE, SOEDERHUIZEN W and FEYEN JHM: The fluorimetric determination of the lecithin/sphingomyelin ratio of amniotic fluid after HPLC **321**
and MOOLENAAR AJ: Use of octadecyl (C_{18}) columns for the estimation of oestrogens in the urine of non-pregnant women: technical note **541**
GEORGES RJ: Validity of the consensus mean as the target value for a small External Quality Assessment Scheme **283**
GIPS CH *see* ALBERS CJEM *et al.*
GJEREK J *see* PLAVŠIĆ F *et al.*
Glucometers in general practice, quality assessment scheme **148**
Glucose
blood measurement: review article **327**
effects on β-hexosaminidase release in fibroblast cultures **133**
plasma, determination, in non-diabetic Zimbabwean African population **362**
spot blood, estimation, simple colorimetric method: technical note **653**
tolerance test and glycosylated haemoglobin, in diabetes mellitus, assessment of criteria **67:** tests compared **74**
Glycosylated albumin estimation, affinity chromatography **79**
Glycosylated haemoglobin *see* Haemoglobin, glycosylated (HbA_1)
GODSLAND IF: Intra-individual variation: significant changes in parameters of lipid and carbohydrate metabolism in the individual and intra-individual variation in different test populations **618**
GOMO ZAR: The determination of glucose and glycosylated haemoglobin in a non-diabetic Zimbabwean African population **362**
Gonadotrophin assays, plasma, improved performance using common reagents and assay protocols **179**
GOODWIN FJ *see* ROSS RJM *et al.*
GORAYA SS, SMYTHE PJ and WALKER V: Plasma alpha-fetoprotein concentrations in pre-term neonates **650**
GRAVENOR MJ *see* HAMMOND KD *et al.*
Gout, primary, high density lipoprotein measurement using simple precipitation method **526**
Graves' disease, TBII activity **366**
GRAZIANI MS and BURLINA A: Bisalbuminaemia in myeloma: correspondence **544**
GREEN A, DODDS P and PENNOCK C: A study of sweat sodium and chloride; criteria for the diagnosis of cystic fibrosis **171**
GRENNAN A *see* ROBERTS I *et al.*
GROOM G *see* MOORE A *et al.*
WOOD P *et al.*

Haemagglutination inhibition test for morphine detection, urine **211**
Haemodialysis serum, albumin analysis, discrepancies between BCP, BCE and EIA **304**
Haemoglobin A_2, liquid control materials, one-year interlaboratory evaluation **257**
Haemoglobin F, liquid control materials, one-year interlaboratory evaluation **257**
Haemoglobin, glycosylated (HbA_1)
levels in postmortem blood, diagnostic value **144**
three assay procedures compared, reference to interfering factors **261**
determination, in non-diabetic Zimbabwean African population **362**
in diabetes mellitus, estimation of serum fructosamine as alternative **84**
and glucose tolerance test in diabetes mellitus, assessment of criteria **67:** tests compared **74**
HAGART J *see* DEVGUN MS *et al.*
HALL RA *see* TURNER JM *et al.*
HAMMER EJ and ASTLEY JP: Increase in serum testosterone following contact with blood cells **539**
HAMMOND KD, GRAVENOR MJ and PIESAS D: Electrophoretic studies of serum γ-glutamyl transferase from patients with hepatoma **376**
HARROP JS, ASHWELL K and HOPTON MR: Circannual and within-individual variation of thyroid function tests in normal subjects **371**
HASKEW AE *see* PUXTY JAH *et al.*
HAYES M, FERGUSON KM, JEFFCOATE SL, BACON RRA and SETH J: Improved performance of plasma gonadotrophin assays using common reagents and assay protocols; evidence from the UK External Quality Assessment Scheme **179**
Hepatic bile, human, composition **129**
Hepatoma, γ-glutamyl transferase activity, electrophoretic studies **376**
HEWITT JV *see* ALLEN KR *et al.*
Hexosaminidase, beta-, release in fibroblast cultures, diabetic, non-diabetic **133**

High-density-lipoprotein
and alcohol consumption **62**
subfractions, measurement in primary gout using simple precipitation method **526**
High-performance liquid chromatography
assay for urinary free catecholamines **297**
of cyclosporin A, plasma containing interfering compounds **402**
determination of *p*-ABA, urine, practical assessment of NBT-PABA pancreatic function test using **586**
determination of plasma catecholamines **194**
fluorimetric determination of lecithin/sphingomyelin ratio of amniotic fluid after **321**
HILL PG: The measurement of albumin in serum and plasma: review article **565**
HINDLE EJ, ROSTRON GM and GATT JA: The diagnostic value of glycated haemoglobin levels in post-mortem blood **144**
The estimation of serum fructosamine: an alternative measurement to glycated haemoglobin **84:** correspondence **655**
HIRST AD and STEVENS JF: Electrodes in clinical chemistry: review article **460**
HODGKINSON AJ, SIDKI AM, LANDON J, ROWELL FJ and MAHMOD SM: Direct determination of theophylline in serum by fluoroimmunoassay using highly specific antibodies **519**
HOEKE JOO *see* KORTLANDT W *et al.*
HOLCOMBE M *see* TAYLOR JJ *et al.*
HOLDER G *see* MOORE A *et al.*
HOLDER RL *see* TURNER JM *et al.*
HOLMAN RR, REES SG, MOORE JC, BOWN EG and TURNER RC: Patient-orientated metered capillary blood collection **141**
HOOREN J VAN *see* VAN HOOREN J
HOPTON MR *see* HARROP JS *et al.*
HOUGHTON BJ *see* ROSS RJM *et al.*
HOUX PCW *see* THOMAS CMG *et al.*
HOWLETT TA and REES LH: Is it possible to diagnose pituitary-dependent Cushing's disease? **550**
HUIZENGA JR *see* ALBERS CJEM *et al.*
HULTBERG B, ISAKSSON A and KJELLSTRÖM T: The effects of glucose and insulin on β-hexosaminidase in cultured fibroblasts from diabetic and non-diabetic subjects **133**
Human chorionic gonadotrophin (-β) immunoassay kits, comparison of fifteen **236**
HUMPHRIES SE *see* KALSHEKER N *et al.*

^{125}I-oestriol assay in pregnancy **98**
IMAM A *see* KALSHEKER N *et al.*
Immunofluorometric assay, time-resolved, for serum TSH, evaluation **606**
Immunoglobulin levels, high, interference in urea determination: technical note **215**
Immunoradiometric assay, sensitive, for TSH, clinical value **506**
Immunoturbidimetry of serum C-reactive protein, in low concentration of polyethylene glycol **269**
INGWERSEN SH *see* BYRJALSEN I and INGWERSEN SH
Insulin, effects on β-hexosaminidase release in fibroblast cultures **133**
Intra-individual variation, significant changes in parameters of lipid and carbohydrate metabolism **618**
Ion-selective electrode and flame photometry, comparison of measurement of sodium and potassium: review article **343**
ISAKSSON A *see* HULTBERG B *et al.*
ISHERWOOD DM and FLETCHER KA: Neonatal jaundice: investigation and monitoring: review article **109**
IVERSEN SA, CAWOOD P and DORMANDY TL: A method for the measurement of a diene-conjugated derivative of linoleic acid, 18:2(9, 11), in serum phospholipid, and possible origins **137**

JACKSON AP and THOMPSON RJ: The stability of creatine kinase isoenzymes studied with two-site monoclonal antibody assays **310**
JACOBS DR *see* OOSTHUIZEN MMJ *et al.*
Jaundice, neonatal, investigation and monitoring: review article **109**
JEFFCOATE SL *see* HAYES M *et al.*
WANG H-Z *et al.*
JOHN WG and JONES AE: Affinity chromatography: a precise method for glycosylated albumin estimation **79**
JOHNSON RN and BAKER JR: Fructosamine assay: correspondence **655**
JONES AE *see* JOHN WG and JONES AE

KALSHEKER N, CHISWELL D, MARKHAM A, IMAM A, WALLIS S, WILLIAMSON R and HUMPHRIES SE: Possible applications of recombinant DNA technology to the diagnosis and study of variants of α_1-antitrypsin **25**
KASIDAS GP and ROSE GA: Continuous-flow assay for urinary oxalate using immobilised oxalate oxidase **412**
KATZ J *see* FERNS GAA *et al.*
KAY JDS *see* BALL MJ *et al.*
KEIR G, CHOWHAN MR and THOMPSON EJ: High electro-endosmotic agarose electrophoresis and nitrocellulose immobilisation for the detection of oligoclonal bands in unconcentrated cerebrospinal fluid **381**
KENDALL-TAYLOR P *see* TAYLOR JJ *et al.*
KJELLSTRÖM T *see* HULTBERG B *et al.*
KOPPESCHAAR HPF *see* ARTS CJM *et al.*
KORTLANDT W, VAN RIJN HJM, HOEKE JOO and THIJSSEN JHH: Comparison of three different assay procedures for the determination of HbA_1 with special attention to the influence of pre-HbA_{1c}, temperature and haemoglobin concentration **261**
KRICKA LJ *see* TURNER JM *et al.*
KROM RAF *see* ALBERS CJEM *et al.*

LAKER MF *see* SHELDON WL *et al.*
LANDON J *see* HODGKINSON AJ *et al.*
PLAYFORD RJ *et al.*
LANHAM J *see* FERNS GAA *et al.*
LAWRENCE CM, STRANGE RC, SCRIVEN AJ, WOOD A and BECKETT GJ: Plasma bile salt levels in patients presenting with generalised pruritus: an indicator of occult liver disease **232**
LAWSON MR: Fructosamine assay: correspondence **655**
LAWSON N *see* BERG JD *et al.*

Lecithin/sphingomyelin ratio of amniotic fluid, fluorimetric determination after HPLC **321**
LESTER E, FRAZER AD, SHEPHERD CA and WOODROFFE FJ: Glycosylated haemoglobin as an alternative to the glucose tolerance test for the diagnosis of diabetes mellitus **74**
Linoleic acid, diene-conjugated derivative, in serum-phospholipid, measurement **137**
Lipid and carbohydrate metabolism, intra-individual variable **618**
Lipoprotein subfractions from primary gout patients **526**
Liver disease
occult, indicated by plasma bile salt levels, in pruritus **232**
serum bile acid value, evaluation **596**
Liver function tests, alcohol intake: correspondence **104**
LOCKHART D *see* COOPER JDH *et al.*
LOUGHLIN T *see* CUNNINGHAM SK *et al.*

McCOMB JM, McMASTER EA and ADGEY AAJ: Myoglobin in the very early phase of acute myocardial infarction **152**
McDOWELL D *see* ROBERTS I *et al.*
McKENNA TJ *see* CUNNINGHAM SK *et al.*
McLOUGHLIN S *see* ROBERTS NB *et al.*
McMASTER EA *see* McCOMB JM *et al.*
McMURRAY J *see* PUXTY JAH *et al.*
McQUAY HJ *see* MOORE RA *et al.*
Magnesium
low serum concentration in Paget's disease of bone (osteitis deformans) **591**
in serum and urine, measurement by DC plasma emission spectrometry **533**
MAGUIRE GA and PRICE CP: A continuous monitoring spectrophotometric method for the measurement of angiotensin-converting enzyme in human serum **204**
MAHMOD SM *see* HODGKINSON AJ *et al.*
MARKHAM A *see* KALSHEKER N *et al.*
MARTIN BT *see* DEVGUN MS *et al.*
Methotrexate, dihydrofolate reductase inhibition assay for **612**
Metoprolol, effect on active and inactive renin, *in vitro*: technical note **213**
β-2-Microglobulin, serum, fluoroimmunoassay **166**
Microprocessor-controlled gas analyser, for CO_2 determination **509**
MOLINO G *see* CRAVETTO C *et al.*
Monoclonal antibody assays, two-site, and stability of creatine kinase isoenzymes **310**
MOODY BJ, SHAKESPEARE PG and BATSTONE GF: The effects of septic complications upon the serum protein changes associated with thermal injury **391**
MOOLENAAR AJ *see* GEBHARDT DOE *et al.*
MOORE A, AITKEN R, BURKE C, GASKELL S, GROOM G, HOLDER G, SELBY C and WOOD P: Cortisol assays: guidelines for the provision of a clinical biochemistry service: review article **435**
see also WOOD P *et al.*
MOORE JC *see* HOLMAN RR *et al.*
MOORE RA, McQUAY HJ, BULLINGHAM RES, BALDWIN D and ALLEN MC: Systemic availability of oral slow-release morphine in Man **226**
TURNER M, COUSINS J and GALES M: A simple, rapid cheap radioimmunoassay for plasma digoxin **190**
MORGAN DB: The biochemist's contribution to the clinical process: personal view **222**
Morphine detection, urine, haemagglutination inhibition test **211**
oral slow-release, in man, systemic availability **226**
MYBURGH JA *see* OOSTHUIZEN MMJ *et al.*
Myeloma, bisalbuminaemia in: correspondence **544**
Myocardial infarction, within first 5 hours of onset, serum myoglobin levels **152**
Myoglobin, serum levels, onset of myocardial infarction **152**

NANJEEE MN and WHEELER MJ: Plasma free testosterone—is an index sufficient? **387**
see also WHEELER MJ and NANJEE MN
NATTRASS M *see* ALBUTT EC *et al.*
N-Benzoyl-L-tyrosyl-*p*-amino benzoic acid (NBT-PABA) pancreatic function test using HPLC **586**
Neonates, pre-term, plasma alpha-fetoprotein concentrations **650**
Nephelometric procedure, simple, rapid, for fibronectin **514**
NORTHAM BE *see* ALBUTT EC *et al.*

Octadecyl (C_{18}) columns, use for oestrogen estimation in urine of non-pregnant women: technical note **541**
Oestriol assay, serum total using ^{125}I label **98**
Oestrogens, urinary
non-pregnant women, use of octadecyl (C_{18}) for estimation: technical note **541**
in pregnancy, external quality assessment **273**
Oligoclonal bands, detection in cerebrospinal fluid **381**
OOSTHUIZEN MMJ, JACOBS DR and MYBURGH JA: Preparation, extraction and high performance liquid chromatography of cyclosporin A from plasma that contains interfering compounds **402**
Osteitis deformans *see* Paget's disease of bone
Ovarian tumour, and virilisation, hormone studies **498**
OWEN VM: Non-electrode biosensors in clinical biochemistry: review article **559**
Oxalate, urinary
continuous flow assay using immobilised oxalate oxidase **412**
improved procedure for measuring using commercial enzyme kit: technical note **428**

Paget's disease of bone, low serum magnesium concentration **591**
Para-aminobenzoic acid, urine, HPLC, practical assessment of NBT-PABA pancreatic function test using **586**
Paracetamol results, effects of salicylate metabolites on interpretation: correspondence **654**
PARAG M *see* PLAVŠIĆ F *et al.*
PATERSON N, BIGGART EM, CHAPMAN RS and BEASTALL GH: Evaluation of a time-resolved

immunofluorometric assay for serum thyroid stimulating hormone **606**

PAYNE RB: Deming's regression analysis in method comparison studies: correspondence **430**

PENNA AC *see* BADCOCK NR *et al.*

PENNOCK C *see* GREEN A *et al.*

PENTERMAN MJG VAN WIJNGAARDEN- *see* VAN WIJNGAARDEN-PENTERMAN MJG

Perhexiline maleate, anti-anginal drug, therapeutic monitoring **614**

PERRETT D *see* BOULOUX P *et al.*

PERSIJN JP: The value of CEA measurement in clinical practice: correspondence **430**

Phospholipid, serum, diene-conjugated derivative of linoleic acid in measurement **137**

PIESAS D *see* HAMMOND KD *et al.*

PILCHER J *see* COOPER JDH *et al.*

Pituitary-thyroid function in chronic renal failure, haemodialysis or continuous ambulatory peritoneal dialysis **156**

PLAVŠIĆ F, BARBARIĆ V, PARAG M, ARAMBAŠIN M, GJEREK J and STAVLJENIĆ A: Increased possibilities for detecting drugs by the Toxi-Lab screening test **324**

PLAYFORD RJ, DAWNAY A, CATTELL WR and LANDON J: The development of a fluoroimmunoassay for β-2-microglobulin in serum **166**

PLEDGER DR *see* DAVIDSON H *et al.*

PLUMBE RM and WORTH HGJ: Dried blood spot test estimation of urea **408**

POCOCK SJ *see* SHAPER AG *et al.*

POSTLETHWAITE RJ *see* WELLS FE *et al.*

Potassium and sodium, measurement by flame photometry and ion-selective electrode, comparison: review article **343**

Pre-eclampsia, cytidine deaminase as marker **420**

Pregnancy oestrogen assay, urinary, external quality assessment **273**

PRICE CP *see* BURRIN JM and PRICE CP
BURRIN JM *et al.*
MAGUIRE GA and PRICE CP

Progesterone assays
clinical biochemistry service, guidelines **1**
in saliva, direct, comparison with direct serum assay **579**

Prolactin-like immunoreactivity, in bromelin-treated cervical mucus **316**

Prostaglandin E_2, urinary measurement, predictor or acute renal transplant rejection **161**

Protein
changes in burn injury **391**
plasma, metabolic studies, computer models **33**: errata **434**
see also Albumin: Haemoglobin

Pruritus, plasma bile salt levels, indicator of occult liver disease **232**

PUTXY JAH, HASKEW AE, RATCLIFFE JG and McMURRAY J: Changes in erythrocyte transketolase activity and the thiamine pyrophosphate effect during storage of blood **423**

Radioimmunoassay
direct, for determination of adrenocorticotropic hormone (ACTH), and clinical evaluation **247**
simple, rapid, cheap, for plasma digoxin **190**

RAMBOHUL E and RUPRAH M: Experience with a haemagglutination inhibition test for morphine detection in urine **211**

RAMSDEN DB *see* FRANKLYN JA *et al.*

RATCLIFFE JG *see* PUXTY JAH *et al.*

RATCLIFFE W *see* WOOD P *et al.*

Recombinant DNA to study α_1-antitrypsin **25**

REES LH *see* HOWLETT TA and REES LH

REES SG *see* HOLMAN RR *et al.*

Reference serum, methods of assigning accurate values. Part 1. The use of reference laboratories and consensus values, with an evaluation of a procedure for transferring values from one reference serum to another **625** Part 2. The use of definitive methods, reference laboratories, transferred values and consensus values **635**

REGE V: An 'in-house' method for the assay of serum total oestriol in pregnancy using ^{125}I label **98**

Renal failure, chronic, pituitary-thyroid function, haemodialysis or continuous ambulatory peritoneal dialysis **156**

Renin, active and inactive, effects of a beta-blocker and a diuretic, *in vitro*: technical note **213**

RIJN HJM VAN *see* VAN RIJN HJM

RITCHIE C *see* FERNS GAA *et al.*

ROBERTS I, BYRNE T, GRENNAN A and MCDOWELL D: The effects of salicylate metabolites on the interpretation of paracetamol results: correspondence **654**

ROBERTS NB, FAIRCLOUGH D, McLOUGHLIN S and TAYLOR WH: Measurement of copper, zinc and magnesium in serum and urine by DC plasma emission spectrometry **533**

ROSE GA *see* KASIDAS GP and ROSE GA

ROSS RJM, GOODWIN FJ, HOUGHTON BJ and BOUCHER BJ: Alteration of pituitary-thyroid function in patients with chronic renal failure treated by haemodialysis or continuous ambulatory peritoneal dialysis **156**

ROSTRON GM *see* HINDLE EJ *et al.*

ROULSTON JE: An *in vitro* study of the effects of a beta-blocker and a diuretic upon interconversion of active and inactive renin: technical note **213**

ROWE DJF *see* THOMPSON D *et al.*

ROWELL FJ *see* HODGKINSON AJ *et al.*

RUPRAH M *see* RAMBOHUL E and RUPRAH M

RYALL RG, ELLIS RH and WENZEL AK: Insensitivity of erythrocyte 2,3-bisphosphoglycerate to changes in extracellular phosphate concentration *in vitro* **291**

Salicylate metabolites, effects on interpretation of paracetamol results: correspondence **654**

Saliva, direct assay for progesterone, comparison with direct serum assay **579**

SANSOM LN *see* BADCOCK NR *et al.*

SCOTT RDM *see* ALLEN KR *et al.*

SCRIVEN AJ *see* LAWRENCE CM *et al.*

SEGERS MFG *see* THOMAS CMG *et al.*

SELBY C *see* MOORE A *et al.*
WOOD P *et al.*

Sepsis, protein changes and burn injury **391**

SETH J *see* HAYES M *et al.*

Sex-hormone-binding globulin in plasma and sex

steroids, relationship between in physiological and pathological conditions **489**
Sex steroids and sex-hormone-binding globulin in plasma, relationship between in physiological and pathological conditions **489**
SHAKESPEARE PG *see* MOODY BJ *et al.*
SHAPER AG, POCOCK SJ, ASHBY D, WALKER M and WHITEHEAD TP: Biochemical and haematological response to alcohol intake **50**
SHELDON WL, SMITH PA and LAKER MF: An improved procedure for measuring urinary oxalate using a commercial enzyme kit: technical note **428**
SHEPHERD CA *see* LESTER E *et al.*
SHEPPARD MC *see* FRANKLYN JA *et al.*
SIDKI AM *see* HODGKINSON AJ *et al.*
SIMPSON E: Some aspects of calcium metabolism in a fatal case of ethylene glycol poisoning **90**
SMITH D *see* BALL MJ *et al.*
SMITH PA *see* SHELDON WL *et al.*
SMYTHE PJ *see* GORAYA SS *et al.*
Sodium and potassium, measurement by flame photometry and ion-selective electrode, comparison: review article **343**
SOEDERHUIZEN W *see* GEBHARDT DOE *et al.*
Spot blood glucose estimation, simple colorimetric method: technical note **653**
STARKEY BJ *see* TAYLOR A *et al.*
STAVLJENIĆ A *see* PLAVŠIĆ F *et al.*
STEKELENBURG GJ VAN *see* VAN STEKELENBURG GJ
Stepwise discriminant analysis, in phenotyping of plasma cholinesterase variants **175**
STEVENS JF *see* HIRST AD and STEVENS JF
STOCKS J *see* FERNS GAA *et al.*
STRANGE RC *see* LAWRENCE CM *et al.*
SUFI SB *see* WANG H-Z *et al.*
Sweat, sodium and chloride in diagnosis of cystic fibrosis **171**

Target value, validity of consensus mean, for small External Quality Assessment Scheme **283**
TAYLOR A, STARKEY BJ and WALKER AW: Determination of aluminium in serum: findings of an external quality assessment scheme **351**
TAYLOR JJ, YOUNG ET, HOLCOMBE M and KENDALL-TAYLOR P: Evaluation of TBII activity in untreated Graves' disease using solubilised thyroid membranes **366**
TAYLOR P KENDALL- *see* KENDALL-TAYLOR P
TAYLOR WH: Low serum magnesium concentration in Paget's disease of bone (osteitis deformans) **591**
see also ROBERTS NB *et al.*
TBII *see* Thyroid stimulating hormone-binding-inhibiting immunoglobulin
Technical notes
An improved procedure for measuring urinary oxalate using a commercial enzyme kit **428**
An *in vitro* study of the effects of a beta-blocker and a diuretic upon interconversion of active and inactive renin **213**
Interference in urea determination by high immunoglobulin levels **215**
A simple colorimetric method for spot blood glucose estimation **653**
Use of octadecyl (C_{18}) columns for the estimation of oestrogens in the urine of non-pregnant women **541**
Testosterone, free
measurement, steady-state gel filtration method on micro-columns **185**
plasma, sufficiency of index **387**
serum, increase following contact with blood cells **539**
THAKER P *see* WATTS GF *et al.*
Theophylline, in serum, direct determination by fluoroimmunoassay using highly specific antibodies **519**
Thermal injury, septic complications and protein changes **391**
Thiamine pyrophosphate and erythrocyte transketolase activity changes during blood storage **423**
THIJSSEN JHH *see* ARTS CJM *et al.*
KORTLANDT W *et al.*
THOMAS CMG, SEGERS MFG and HOUX PCW: Comparison of the analytical characteristics and clinical usefulness in tumour monitoring of fifteen hCG(-β) immunoassay kits **236**
THOMPSON D, ROWE DJF and BRIGGS JD: Measurement of urine prostaglandin E_2 as a predictor of acute renal transplant rejection: preliminary findings **161**
THOMPSON EJ *see* KEIR G *et al.*
THOMPSON RJ *see* JACKSON AP and THOMPSON RJ
Thyroid function
circulating thyrotrophin as index; review article **455**
tests, circannual and within-individual variation, normal subjects **371**
influence of age and sex **502**
binding-inhibiting immunoglobulin (TBII), activity in Graves' disease **366**
clinical value of sensitive immunoradiometric assay **506**
serum, time-resolved immunofluorometric assay, evaluation **606**
Thyrotrophin, circulating, as thyroid function index: review article **455**
Thyroxine, serum concentrations, influence of age and sex **502**
Toxi-Lab screening test, increased possibilities for detecting drugs **324**
Transplant, renal, acute rejection, prostaglandin E_2 urinary measurements **161**
Triiodothyronine, serum concentrations, influence of age and sex **502**
TURNELL DC: The calibration of total serum bilirubin assays: review article **217**
see also COOPER JDH *et al.*
TURNER JM, HALL RA, WHITTAKER M, HOLDER RL and KRICKA LJ: Application of stepwise discriminant analysis in the phenotyping of plasma cholinesterase variants **175**
TURNER M *see* MOORE RA *et al.*
TURNER RC *see* HOLMAN RR *et al.*

Urea
determination, interference by high immunoglobulin levels: technical note **215**
dried blood spot test estimation **408**

Uric acid levels and alcohol consumption **62**

VALK C *see* VAN STEKELENBURG GJ *et al.*

VAN HOOREN J *see* CUIGNIEZ PH *et al.*

VAN RIJN HJM *see* KORTLANDT W *et al.*

VAN STEKELENBURG GJ, VALK C and WIJNGAARDEN-PENTERMAN MJG: An extremely simple and fast microlitre method for the determination of total carbon dioxide in biological samples **509**

VAN WIJNGAARDEN-PENTERMAN MJG *see* VAN STEKELENBURG GJ *et al.*

Variation, intra-individual, significant changes in parameters of lipid and carbohydrate metabolism **618**

VEEMAN W *see* ARTS CJM *et al.*

Virilisation due to ovarian tumour, hormone studies **498**

VONK RJ *see* ALBERS CJEM *et al.*

WALKER AW *see* TAYLOR A *et al.*

WALKER M *see* SHAPER AG *et al.*

WALKER V *see* GORAYA SS *et al.*

WALLIS S *see* KALSHEKER N *et al.*

WANG H-Z, DONALDSON A, SUFI SB and JEFFCOATE SL: Studies on the nature of prolactin-like immunoreactivity in bromeline-treated cervical mucus **316**

WASTELL HJ *see* FLEETWOOD JA *et al.*

WATSON D *see* ALLEN KR *et al.*

WATSON MJ *see* FLEETWOOD JA *et al.*

WATTS GF, THAKER P and WEST PM: A simple colorimetric method for spot blood glucose estimation: technical note **653**

WEBLEY GE and EDWARDS R: Direct assay for progesterone in saliva: comparison with a direct serum assay **579**

WEDDELL A *see* FLEETWOOD JA *et al.*

WEEKS I *see* WOODHEAD JS and WEEKS I

WELLS FE, ADDISON GM and POSTLETHWAITE RJ: Albumin analysis in serum of haemodialysis patients: discrepancies between bromocresol purple, bromocresol green and electro-immunoassay **304**

WENZEL AK *see* RYALL RG *et al.*

WEST PM *see* WATTS GF *et al.*

WHEELER MJ and NANJEE MN: A steady-state gel filtration method on micro-columns for the measurement of percentage free testosterone in serum **185**
see also NANJEE MN and WHEELER MJ

WHITEHEAD TP *see* SHAPER AG *et al.*

WHITTAKER M *see* TURNER JM *et al.*

WIJNGAARDEN-PENTERMAN MJG VAN *see* VAN WIJNGAARDEN-PENTERMAN MJG

WILDE CE *see* BULLOCK DG and WILDE CE

WILLIAMS DRR *see* BURRIN JM *et al.*

WILLIAMSON R *see* KALSHEKER N *et al.*

WOOD A *see* LAWRENCE CM *et al.*

WOOD P, GROOM G, MOORE A, RATCLIFFE W and SELBY C: Progesterone assays: guidelines for the provision of a clinical biochemistry service **1**
see also MOORE A *et al.*

WOODHEAD JS and WEEKS I: Circulating thyrotrophin as an index of thyroid function: review article **455**

WOODROFFE FJ *see* LESTER E *et al.*

WORTH HGJ: A comparison of the measurement of sodium and potassium by flame photometry and ion-selective electrode: review article **343**
see also PLUMBE RM and WORTH HGJ

YOUNG ET *see* TAYLOR JJ *et al.*

Zinc, in serum and urine, measurement by DC plasma emission spectrometry **533**